

**THE GAUHATI HIGH COURT
(THE HIGH COURT OF ASSAM, NAGALAND, MIZORAM AND ARUNACHAL PRADESH)
KOHIMA BENCH**

SHORT TENDER NOTICE

No.HC(K)01/2016/e-Courts Phase-II/T-27/ 5 /Dated, Kohima, the 11th February, 2020

Offline bids (Technical & Financial) in sealed covers are invited from intending manufacturers/ authorized distributors/dealers for supply, installation and maintenance of approximately **1 (One) No. Cisco Router ASR 1000 Series** for Gauhati High Court Kohima Bench in the State of Nagaland under the eCourts Project as per technical specifications mentioned at **Annexure -1**. The quotation should reach the undersigned on or before 19th February, 2020, during office hours. Details maybe head from the website www.kohimahighcourt.gov.in

Annexure -1 - TECHNICAL SPECIFICATIONS

Cisco ASR 1000 Series Specification

Sl. No.	MODEL	Cisco ASR 1000 Series
1.	Physical specifications Note: Depth applies to chassis edge-to-edge dimension and does not include protrusions such as card handles, and cable management brackets. Refer to the applicable hardware installation guide for additional details.	Height: 1.71 in. (43.43mm) Width: 17.3 in. (439.42mm) Depth: 18.17 in. (461.5 mm) Weight: 25 lb (11.35 kg) fully loaded Note: The Cisco ASR 1000 Series Router has the route processor, ESP and SIP integrated.
2.	Default memory	8-GB DRAM shared across route processor, ESP and SIP
3.	Number of SIPs or Ethernet line cards supported	Integrated in chassis
4.	Shared port adaptors	1 single-height SPA slot
5.	Ethernet port adaptors	N/A
6.	Cisco ASR 1000 Series ESP	Integrated in chassis
7.	Route processor	Integrated in the chassis: Cisco ASR 1001-X Series Route Processor with Quad Core Processor
8.	Redundancy	Software: Yes
9.	Built-in-Gigabit Ethernet ports	Yes: 6 Gigabit Ethernet Small Form-Factor Pluggable (SFP) ports
10.	Built-in 10 Gigabit Ethernet port	Yes: Two 10 Gigabit Ethernet Small Form-Factor Plus Pluggable (SFP+) ports Note: Built-in 10-GB ports cannot be reduced to 1-GB speed
11.	Network interface module	Yes

12.	ESP support	Cisco ASR 1000 Series 2.5-Gbps ESP (default) Upgradable through a software-activated feature license to 5, 10 or 20 Gbps
13.	ESP bandwidth	2.5 to 20 Gbps
14.	ESP memory	Share the same control memory on route processor
15.	SIPs and Ethernet line cards	Integrated in chassis; not upgradable
16.	Embedded hardware-based encryption	Yes: Up to 8-Gbps crypto support throughput
17.	Minimum Cisco IOS XE Software release	Cisco IOS XE Software Release 3.12.0
18.	Rack-mounting	Yes:19-inch
19.	Wall-mounting	No
20.	External USB flash memory	1-GB USB flash-memory support
21.	Redundant power supply	Yes: Dual power supplies by default; option of either AC or DC power supply Note: A mix of one AC and DC power supply is not supported.
22.	Power input	Worldwide ranging AC input range (85 to 264 VAC) Worldwide ranging DC (-40 to -72V; 48 V nominal)
23.	Power consumption	<ul style="list-style-type: none"> • Maximum (DC): 242 W • Maximum (AC): 250 W
24.	Airflow	Front-to-back
25.	Operating temperature (nominal)	32 to 104°F (0 to 40°C)
26.	Operation temperature (short-term)	32 to 122°F (0 to 50°C)
27.	Operating humidity (nominal) (relative humidity)	10 to 85%
28.	Operating humidity	5 to 90%
29.	Storage temperature	-40 to 150°F (-40 to 70°C)
30.	Storage humidity (relative humidity)	5 to 95%
31.	Operating altitude	-500 to 10,000 feet (152 to 3048 meters)
32.	Network Equipment Building Standards (NEBS)	GR-1089 and GR-63
33.	EMC standards	<ul style="list-style-type: none"> • FCC 47 CFR Part 15 Class A • VCCI Class A • AS/NSZ Class A • ICES-003 Class A • EN55022/CISPR 22 Information Technology Equipment (Emissions) • EN55024/CISPR 24 Information Technology Equipment (Immunity) • EN300 386 Telecommunications Network Equipements • (EMC)

		<ul style="list-style-type: none"> EN50082-1/EN61000-6-1 Generic Immunity Standard
34.	Safety Standard	UL60950-1 CSA C22.2 No. 60950-1-03 EN 60950-1 IEC 60950-1 AS/NZS 60950.1
35.	Warranty	3X3X3

Note: All of the above specifications should be read as equivalent or better.

TERMS AND CONDITIONS OF TENDER

1. The prepared configurations are as per present trend and may require changes/modifications at the time of procurement. For any query related to the tender process the undersigned may be contacted during office hours.
2. Rate quoted should be exclusive of GST.
3. Copies of GST registration certificate and PAN card must be submitted along with the tender.
4. Tender once submitted will not be allowed to withdraw till finalization of the whole matter.
5. The supply should be made within 3 (three) days from the issue of supply order.
6. The Registry in its discretion, reserves the right to reject or accept any or all the tenders, wholly or partly, without assigning any reason and is bound to accept the rates submitted by the lowest tenderer.
7. The decision of the Registrar-cum-Central Project Coordinator, Gauhati High Court Kohima Bench, Kohima in all respect shall be final and binding.
8. Tender processing fee Rs.1000/- (Rupees one thousand) only.
9. The bidders are to submit EMD in original amounting to Rs.25,000/- (Rupees twenty five thousand) only along with their bid in the form of Bank Draft/Banker's Cheque /Bank Guarantee (format in Annexure-XI) from any nationalised bank in favour of the Registrar-cum-CPC, Gauhati High Court Kohima Bench.

(MR. NEIKO AKAMI), NJS,

Registrar-cum-Central Project Coordinator,
eCourts Project, Nagaland,
Gauhati High Court, Kohima Bench

/Dated, Kohima, the 11th February, 2020

No.HC(K)01/2016/e-Courts Phase-II/T-27/ 5
Copy to :

1. The Programmer, Gauhati High Court Kohima Bench for upload in Kohima Bench website.
2. The Editor, Nagaland Post, Dimapur for publication in your paper on 12th February, 2020, and submit bill in triplicate.
3. The Editor, Morung Express, Dimapur for publication in your paper on 12th February, 2020, and submit bill in triplicate.
4. High Court Notice Board.

(MR. NEIKO AKAMI), NJS,

Registrar-cum-Central Project Coordinator,
eCourts Project, Nagaland,
Gauhati High Court, Kohima Bench